
ilumen



Mila

The next generation of Down Light









Hotel



Shopping mall







Workshop



Corridors



COMPACT DESIGN, SPACE SAVING

We offer three different sizes of Mila, suitable for ceiling cut-outs from 130-200mm, perfectly matching the needs of various projects, flexible installation and space saving.



EXCELLENT PERFORMANCE

The lamp adopts a simple design, selected high-quality die-cast aluminum material, and has excellent heat dissipation performance. The lumen value is up to 3600lm, providing bright and stable lighting effects.






EASILY SELECT YOUR COLOUR VALUE

3 CCT Selectable,3000K-4000K-6500K, suitable for different applications, reducing inventory backlog.





PRODUCT PARAMETER



Power	12W/20W/30W	
Luminous Flux	1320Lm/2400Lm/3600Lm	
Ra	>80/90 (Optional)	
UGR	<22, (<19 optional)	
Light Efficiency	Up to 120lm/W	
Input voltage	220-240Vac	
Color Temperature	3000K/4000K/6500K selectable	
Operating Temperature	-10°C to +40°C	
Ingress protection code	IP20	
Beam angle	100°	
SDCM	<3	
LED Lifespan	L80B10>60,000Hrs@35Deg	
Body materials	ADC 12	
Diffuser	PS	
Color	White+Black	
Mounting options	Recessed	



ilumen

O Address: Am Hopfenbach 12, 22926 Ahrensburg, Germany

Sephone: +49 4102 7798707
Separation = mail: info@ilumenled.de

www.ilumenled.de