

# ilumen



# Liam

The next generation of post light

WE MAKE IT  
*Light*  
GERMAN QUALITY · DEUTSCHE QUALITÄT

# GENERAL

- Nice choice for walkway, residential, Park & courtyard.
- Easy access to power/CCT switches by taking out a screw
- NEMA/ ZHAGA socket reserved catering for different smart solutions
- Max. 2% upward light emitted to sky compliant with DarkSky regulation
- Post-top installation on a Ø60mm spigot as standard; optional on a Ø40mm/Ø76mm spigot.



Residential



Park



Country Road



ilumen



WE MAKE IT  
*Light*

GERMAN QUALITY · DEUTSCHE QUALITÄT

# VERSIONS



20W/40W/72W Selectable  
IL-PO30-NXXX2C-TY5

## PRODUCT DATA

### Light and Electrical

LED Chip	Lumileds
Light Efficacy	130lm/W
CCT	3000K/4000K Selectable
CRI	>70 (80 optional)
LED Lifespan	80,000Hrs@L80B10 (Ta 25Deg)
Driver	Philips
Input voltage	220-240Vac
Input Frequency	50/60Hz
Inrush current	-
Power Factor	>0.95
THD	<15
SPD	Osram 10KV
CLASS	I

### Photometric distributions



Type V

### Controls and Dimming

Dimmable	Optional
Intelligent Control	1-10V dimming/DALI/Microwave sensor /NEMA/Zhaga

### Operating Temperature

Operating Temperature -30°C~+50°C

### Mechanical and Housing

Structure Material	Die casting ADC12
Finish Material	Power coated paint RAL9017
Lens Material	(PC)Polycarbonate
Glass Material	/
Ingress protection code	IP66
Mech. impact protection	IK08

### Certificates and Standards



## KEY BENEFITS



Max. 2% upward light emitted to sky compliant with DarkSky regulation.

Easy access to power/CCT switches by taking out a screw. (DIP switches which locates in the gear box)



WE MAKE IT  
*Light*



GERMAN QUALITY · DEUTSCHE QUALITÄT

# ilumen

📍 Address: Am Hopfenbach 12, 22926 Ahrensburg, Germany

☎ Phone: +49 4102 7798707

✉ email: [info@ilumenled.de](mailto:info@ilumenled.de)

🌐 [www.ilumenled.de](http://www.ilumenled.de)